Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100	(michael near3 schneider).in.	USPAT	OR	OFF	2004/12/21 09:40
<b>S2</b>	4	((michael near3 schneider).in.) and indicator	USPAT	OR	OFF	2001/01/06 17:17
<b>S3</b>	50	("05500635" "05244409" "05961923" "06017496" "05108282" "04152624"	USPAT	OR	OFF	2001/01/06 17:31
		"05438721" "05588167" "05842300" "05894611" "05953477" "06100026"				
		"04448534" "05056232" "06028521" "04882565" "05726443" "04642627" "05812629" "05546189"				
		"05812269" "05654800" "05269030" "03901372" "04961069" "05716049"				
		"04924362" "05223822" "03985095" "05091800" "05290037" "05486002" "05891025" "05118183"				
		"04154000" "05554049" "05375832" "05793387" "05830529" "04546649"				
		"05313260" "04635321" "03970428" "05062807" "05976257" "05796472"				
	And the second s	"06120460" "05546009" "05496997" "05260684").wku.				
S4	334	340/815.73	USPAT	OR	OFF	2001/01/08 15:20
S5	7963	elongate same strip	USPAT	OR	OFF	2001/01/08 15:20
S6	105	340/815.49	USPAT	OR	OFF	2001/01/08 15:21
S7	<b>4</b> .	340/815.73 and (elongate same strip)	USPAT	OR	OFF	2001/01/08 15:22
S8	0	(elongate same strip) and 340/815.	USPAT	OR	OFF	2001/01/08 15:22
<b>S9</b>	270	362/544	USPAT	OR :	OFF	2001/01/08 15:32
S10	139	362/545	USPAT	OR	OFF	2001/01/08 15:32
<b>S11</b>	197	362/546	USPAT	OR	OFF	2001/01/08 15:32
S12	1664	362/362	USPAT	OR	OFF	2001/01/08 15:33
S13	4951	elongate near5 strip	USPAT	OR	OFF	2001/01/08 15:33
S14	243601	strip	USPAT	OR	OFF	2001/01/08 15:33
S15		362/544 and (elongate near5 strip)	USPAT	OR	OFF	2001/01/08 15:34
S16	1	362/545 and (elongate near5 strip)	USPAT	OR	OFF	2001/01/08 15:34
S17	0	362/546 and (elongate near5 strip)	USPAT	OR	OFF	2001/01/08 15:35
S18	6	362/362 and (elongate near5 strip)	USPAT	OR	OFF	2001/01/08 15:44

S19	1722	d10/104	USPAT	OR	OFF	2001/01/08 16:03
	1733	d10/104				
S20	7050	proximity near3 sensor	USPAT	OR	OFF	2001/01/08 16:03
S21	0	d10/104 and (proximity near3 sensor)	USPAT	OR	OFF	2001/01/08 16:04
S22	52	indicator and d10/104	USPAT	OR	OFF	2001/01/08 16:04
S23	2843	(marcus near3 jackson)".xa", "xp."	USPAT	OR	OFF	2001/01/08 17:05
S24	1	indicatior and ((marcus near3 jackson)".xa", "xp.")	USPAT	OR	OFF	2001/01/08 17:06
S25	1	D312977.PN.	USPAT	OR	OFF	2001/01/08 17:05
S26	1	"2613463".PN.	USPAT	OR	OFF	2001/01/08 17:06
S27	3413	"d." "358561"	USPAT	OR	OFF	2001/01/08 17:06
S28	0	"358561".pn.	USPAT	OR	OFF	2001/01/08 17:06
S29	254	340/693.5	USPAT	OR	OFF	2001/01/09 08:17
S30	136121	indicator	USPAT	OR	OFF	2001/01/09 08:17
S31	60	340/693.5 and indicator	USPAT	OR	OFF	2001/01/09 08:50
S32	4	(("4757213") or ("4879531") or	USPAT;	OR	OFF	2001/01/09 08:55
		("4864156") or ("5239130")).PN.	USOCR			
S33	13636	schneider.uref.	USPAT	OR	OFF	2001/01/09 08:56
S34	2	"des." "391182".uref.	USPAT	OR.	OFF	2001/01/09 08:57
S35	0	("des.337066").PN.	USPAT; USOCR	OR	OFF	2001/01/09 08:57
S36	0	("des.337066").PN.	USPAT; USOCR	OR	OFF	2001/01/09 08:57
S37	253	340/691.1	USPAT	OR	OFF	2001/01/09 09:16
S38	484531	housing	USPAT	OR	OFF	2001/01/09 08:58
S39	366	340/473	USPAT	OR	OFF	2001/01/09 08:58
S40	319	340/686.1	USPAT	OR 4	OFF	2001/01/09 08:58
S41	89	340/691.1 and housing	USPAT	OR	OFF	2001/01/09 09:04
S42		"des.391182"	USPAT	OR	OFF	2001/01/09 09:05
S43	0	"d.391182"	USPAT	OR	OFF	2001/01/09 09:05
S44		des391182	USPAT	OR	OFF	2001/01/09 09:06
S45	6	d391182	USPAT	OR	OFF	2001/01/09 09:06
S46		d391182.pn.	USPAT	OR	OFF	2001/01/09 09:07
S47	3	(("d366848") or ("d358561") or ("d337066")).PN.	USPAT; USOCR	OR	OFF	2001/01/09 09:07
S48	<b>5</b> .	d391182.uref.	USPAT	OR	OFF.	2001/01/09 09:08
S49	126	housing and 340/473	USPAT	OR	OFF	2001/01/09 09:16
S50	36	(housing and 340/473) and	USPAT	OR	OFF	2001/01/09 09:18
		indicator\$1				
S51	120	housing and 340/686.1	USPAT	OR	OFF	2001/01/09 09:27

CES	12201	1124011/4	LICDAT	OD	٥٢٢	2001/01/00 00:20
S52	12281	"340"/\$.ccls. and indicator\$1	USPAT	OR	OFF	2001/01/09 09:28
S53	13853	elongated near3 strip	USPAT	OR	OFF	2001/01/09 09:28
S54	63	("340"/\$.ccls. and indicator\$1) and (elongated near3 strip)	USPAT	OR	OFF	2001/01/09 09:28
S55	6	"5633623".uref.	USPAT	OR	OFF	2001/01/09 09:43
S56	4	"4954808".uref.	USPAT	OR	OFF	2001/01/09 09:45
S57	24	(("5400008") or ("5396350") or ("5295050") or ("5140220") or	USPAT; USOCR	OR	OFF	2001/01/09 09:59
	* * * * * * * * * * * * * * * * * * * *	("5057984") or ("4733335") or ("4477148") or ("4340275") or			* * * * * * * * * * * * * * * * * * *	
,		("4191943") or ("4003637") or ("3918053") or ("3911430") or				
'		("3810168") or ("3786499") or	4			
		("3684348") or ("3671101") or				
,		("3235863") or ("2972739") or ("2798147") or ("2623934") or	**************************************			
	:	("1964325") or ("1431639") or				
		("1407427") or ("1263333")).PN.			in a state of the	
S58	5	d391182.uref.	USPAT	OR	OFF	2001/01/09 10:49
S59	2	"4864156".uref.	USPAT	OR	OFF	2001/01/09 10:49
S60	1735	d10/104	USPAT	OR	OFF	2001/01/09 11:00
S61	52	indicator and d10/104	USPAT	OR	OFF	2001/01/09 11:09
S62	1656	340/541	USPAT	OR	OFF	2001/01/09 11:03
S63	286	indicator and 340/541	USPAT	OR	OFF	2001/01/09 11:03
S64	107	housing and (indicator and 340/541)	USPAT	OR	OFF	2001/01/09 11:04
S65	30	campman.in.	USPAT	OR	OFF	2001/01/09 11:11
S66	522	340/546	USPAT .	OR	OFF	2001/01/09 11:11
S67	14038	indicator near3 light	USPAT	OR	OFF	2001/01/09 11:11
S68	881	7a and (indicator near3 light)	USPAT	OR	OFF	2001/01/09 11:11
S69	386	led and (7a and (indicator near3	USPAT	OR	OFF	2001/01/09 11:12
		light))	in the second se			
S70	13853	elongated near3 strip	USPAT	OR	OFF	2001/01/09 11:12
S71	5	(led and (7a and (indicator near3 light))) and (elongated near3 strip)	USPAT	OR	OFF	2001/01/09 11:13
S72	8881	proximity near3 sensor\$1	USPAT	OR	OFF	2001/01/09 11:13
S73	252	(indicator near3 light) and	USPAT	OR	OFF	2001/01/09 11:14
		(proximity near3 sensor\$1)				
S74	16	(led and (7a and (indicator near3 light))) and ((indicator near3 light) and (proximity near3 sensor\$1))	USPAT	OR	OFF	2001/01/09 12:54
S75	4	(("3810168") or ("3918053") or ("4191943") or ("5140220")).PN.	USPAT; USOCR	OR	OFF	2001/01/09 13:33
S76	1	"3684348".pn.	USPAT	OR	OFF	2001/01/09 13:44
	<u>. </u>		<u> </u>	!	<u> </u>	

S77	1	"5831522".pn.	USPAT	OR	OFF	2001/01/09 14:01
S78	334	340/815.73	USPAT	OR	OFF	2001/01/09 14:01
S79	13853	elongated near3 strip	USPAT	OR	OFF	2001/01/09 14:02
S80	187631	6a nd (elongated near3 strip)	USPAT	OR	OFF	2001/01/09 14:02
S81	2	340/815.73 and (elongated near3 strip)	USPAT	OR	OFF	2001/01/09 14:03
S82	202	340/815.55	USPAT	OR	OFF	2001/01/09 14:03
S83	0	(elongated near3 strip) and 340/815.55	USPAT	OR	OFF	2001/01/09 14:11
S84	254	340/693.5	USPAT	OR	OFF	2001/01/09 14:12
S85	60	indicator and 340/693.5	USPAT	OR	OFF	2001/01/09 14:26
S86	334	340/815.73	USPAT	OR	ÖFF	2001/01/09 14:26
S87	254	340/693.5	USPAT	OR	OFF	2001/01/09 18:31
S88	2859	first adj side and second adj side and third adj side	USPAT	OR	OFF	2001/01/09 18:32
S89	0	340/693.5 and (first adj side and second adj side and third adj side)	USPAT	OR	OFF	2001/01/09 18:32
S90	73621	"340"/\$.ccls.	USPAT	OR	OFF	2001/01/09 18:33
S91	27	(first adj side and second adj side and third adj side) and "340"/\$.ccls.	USPAT	OR	OFF	2001/01/09 18:33
S92	150956	indicator\$1	USPAT	OR	OFF	2001/01/16 09:48
S93	12295	indicator\$1 and "340"/\$.ccls.	USPAT	OR	OFF	2001/01/16 09:49
S94	5613	Proximity adj sensor\$1	USPAT	OR	OFF	2001/01/16 09:49
S95	178	(indicator\$1 and "340"/\$.ccls.) and (Proximity adj sensor\$1)	USPAT	OR	OFF	2001/01/16 10:49
S96	<b>2</b>	(elongated adj strip) and (first adj second adj third adj side)	USPAT	OR	OFF	2001/01/16 10:55
S97	26	340/693.12	USPAT	OR	OFF	2001/01/16 10:58
S98	1771673	indicator same first and second side	USPAT	OR	OFF	2001/01/16 11:01
S99	398208	(indicator same first and second side) and housing	USPAT	OR	OFF	2001/01/16 11:02
S10 0	7302	translucent and ((indicator same first and second side) and housing)	USPAT	OR	OFF	2001/01/16 11:03
S10 1	1670	(translucent and ((indicator same first and second side) and housing)) and strip	USPAT	OR	OFF	2001/01/16 11:04
S10 2	1475	(visible or light) and ((translucent and ((indicator same first and second side) and housing)) and strip)	USPAT	OR	OFF	2001/01/16 11:05

S10 3	8	(Proximity adj sensor\$1) and ((visible or light) and ((translucent and ((indicator same first and second side) and housing)) and strip))	USPAT	OR	OFF	2001/01/16 13:53
S10 4	58	indicator and (multiple adj angle\$1)	USPAT	OR	OFF	2001/01/16 13:55
S10 5	12	"4667277".uref.	USPAT	OR	OFF	2001/01/16 14:33
S10 6	5	(("4555749") or ("4471415") or ("4447859") or ("4302800") or ("3082397")).PN.	USPAT; USOCR	OR	OFF	2001/01/16-15:43
S10 7	2289	proximity adj sensors	USPAT	OR	OFF	2001/01/16 15:43
S10 8	2051	view\$3 and (proximity adj sensors)	USPAT	OR	OFF	2001/01/16 15:45
S10 9	345	indicator and (view\$3 and (proximity adj sensors))	USPAT	OR	OFF	2001/01/16 15:45
S11 0	182	housing and (indicator and (view\$3 and (proximity adj sensors)))	USPAT	OR	OFF	2001/01/16 16:21
S11	253	340/691.1	USPAT	OR	OFF	2001/01/16 17:10
S11 2	55720	+first and second adj side	USPAT	OR	OFF	2001/01/16 17:11
S11 3	50811	"362"/\$.ccls.	USPAT	OR	OFF	2001/01/16 17:12
S11 4	551	(first and second adj side) and "362"/\$.ccls.	USPAT	OR	OFF	2001/01/16 17:12
S11 5	5	(elongated adj strip) and ((first and second adj side) and "362"/\$.ccls.)	USPAT	OR	OFF	2001/01/16 17:15
S11 6	1349	cover\$3 adj len\$1	USPAT	OR	OFF	2001/01/16 17:17
S11 7	297	"362"/\$.ccls. and (cover\$3 adj len\$1)	USPAT	OR	OFF	2001/01/16 17:17
S11 8	25	indicator and ("362"/\$.ccls. and (cover\$3 adj len\$1))	USPAT	OR	OFF	2001/01/16 17:53
S11 9	752	340/903	USPAT	OR	OFF	2001/01/16 17:53
S12 0	213	340/903 and indicator	USPAT	OR	OFF	2001/01/16 17:58
S12	122	beggs.in.	USPAT	OR	OFF	2001/01/16 18:03
S12 2	Ô	"499755".uref.	USPAT	OR	OFF	2001/01/16 18:03
S12 3	3	(("4709307") or ("4667277") or ("4471415")).PN.	USPAT; USOCR	OR	OFF	2001/01/16 18:04
· · · · · · · ·						<del></del>

S12 4	0	multi near2 angle near2 viewable near2 indicator	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 21:50
S12 5	0	"116"/\$.ccls. and (multi near2 angle)	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 21:51
S12 6	30216	"116"/\$.ccls.	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 21:51
S12 7	10335	elongate near2 slot	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 21:51
S12 8	46075	elongate\$1 near2 slot	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 21:51
S12 9	177	"116"/\$.ccls. and (elongate\$1 near2 slot)	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 21:52
S13 0	9	led\$1 and ("116"/\$.ccls. and (elongate\$1 near2 slot))	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 22:07
S13 1	2	"4082934".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/22 22:07
S13 2	5	("B470899"   "3651296"   "3727020"   "3819928"   "3916133"   "4016534").PN.	USPAT	OR	OFF	2003/12/22 22:07
S13		"4082934".URPN.	USPAT	OR	OFF	2003/12/22 22:08
.3						
S14 0	4216	(retain\$3 near2 tab)	USPAT	OR	OFF	2004/12/21 10:30
S14 1	2117	(indicator oor indicat\$3) and S140	USPAT	OR	OFF	2004/12/21 09:41
S14 2	2117	(indicator or indicat\$3) and S140	USPAT	OR	OFF	2004/12/21 09:41
S14 3	221	visual and S142	USPAT	OR	OFF	2004/12/21 11:13
S14 4	81	light and S143	USPAT	OR	OFF	2004/12/21 09:42
S14 5	16	(retain\$3 near2 tab) near2 plastic	USPAT	OR	OFF	2004/12/21 10:31
S14 6	336	340/815.4.ccls.	USPAT	OR	OFF	2004/12/21 10:31
S14 7	1	S140 and S146	USPAT	OR	OFF	2004/12/21 10:35
S14 8	1356	"retaining tab"	USPAT	OR	OFF	2004/12/21 10:36

S14 9	695	plastic and S148	USPAT	OR	OFF	2004/12/21 10:36
S15 0	87	plastic same S148	USPAT	OR	OFF	2004/12/21 10:40
S15 1	6	plastic near5 S148	USPAT	OR	OFF	2004/12/21 10:37
S15 2	17	plastic with S148	USPAT	OR	OFF	2004/12/21 10:39
S15 3	3	translucent and S150	USPAT	OR	OFF	2004/12/21 10:39
S15 4	23	translucent and S143	USPAT	OR	OFF	2004/12/21 11:13